

ANSI/ASB Standard 072, First Edition  
2019

## Standard for the Validation of Procedures in Bloodstain Pattern Analysis



## Standard for the Validation of Procedures in Bloodstain Pattern Analysis

ASB Approved October 2018

ANSI Approved May 2019



410 North 21st Street  
Colorado Springs, CO 80904

This document may be downloaded for free at: [www.asbstandardsboard.org](http://www.asbstandardsboard.org)

*This document is provided by the AAFS Standards Board for free. You are permitted to print and download the document and extracts from the document for your own use, provided that:*

- *you do not modify this document or its related graphics in any way;*
- *you do not use any illustrations or any graphics separately from any accompanying text; and,*
- *you include an acknowledgement alongside the copied material noting the AAFS Standards Board as the copyright holder and publisher.*

*You expressly agree not to reproduce, duplicate, copy, sell, resell, or exploit for any commercial purposes, this document or any portion of it. You may create a hyperlink to [www.asbstandardsboard.org](http://www.asbstandardsboard.org) to allow persons to download their individual, free copy of this document. Your hyperlink must not portray AAFS, the AAFS Standards Board, this document, our agents, associates and affiliates in an offensive manner, or be misleading or false. You may not use our trademarks as part of your link without our written agreement for you to do so.*

*The AAFS Standards Board retains the sole right to submit this document to any other forum for any purpose.*

*Certain commercial entities, equipment or materials may be identified in this document to describe a procedure or concept adequately. Such identification is not intended to imply recommendations or endorsement by the AAFS or the AAFS Standards Board, nor is it intended to imply that the entities, materials, or equipment are necessarily the best available for the purpose.*

## Foreword

This document provides standards for the developmental and internal validation of new Bloodstain Pattern Analysis (BPA) procedures and equipment. Validation is a component of quality assurance and will ensure that procedures are based on scientific principles and are reliable, accurate, and relevant. Undertaking validation can identify areas where improvements to current procedures are required and where new procedures need to be developed. This document has been prepared by the Organization of Scientific Area Committees (OSAC) Subcommittee on Bloodstain Pattern Analysis based on a document originating with the Scientific Working Group on Bloodstain Pattern Analysis (SWGSTAIN).

It is recognized that BPA is practiced both by individuals privately and by those employed by agencies offering forensic services. This document is intended to augment any validation standards set forth for accredited laboratories that already have established validation procedures. In addition, this document is intended to provide the framework for other agencies in the development of validation procedures.

All hyperlinks and web addresses shown in this document are current as the publication date of this standard.

**Keywords:** *developmental validation, internal validation, specificity, sensitivity, quality assurance, validation report*

## Table of Contents

1 Scope.....	1
2 Normative References .....	1
3 Terms and Definitions .....	1
4 Requirements.....	2
4.1 Overview .....	2
4.2 Developmental Validation.....	3
4.3 Internal Validation .....	3
Annex A (informative) Bibliography .....	6

# Standard for the Validation of Procedures in Bloodstain Pattern Analysis

## 1 Scope

This document applies to the validation of procedures for bloodstain pattern analysis casework and new equipment. It also applies to the internal validation of established procedures existing within the BPA community when such procedures are being used for the first time within an agency.

## 2 Normative References

The document contains no normative references. See Annex A, Bibliography for informative references.

## 3 Terms and Definitions

For purposes of this document, the following definitions apply.

### 3.1

#### **accurate**

Results that are in agreement with the true value.

### 3.2

#### **agency**

An entity such as an individual, a law enforcement department, a private company, or a government or private laboratory that in this context provides BPA as one of its functions.

### 3.3

#### **developmental validation**

See **validation**.

### 3.4

#### **internal validation**

See **validation**.

### 3.5

#### **new procedure**

A procedure that is new to the BPA community and has not been validated via publication in a peer reviewed journal or documented through an agency's internal validation Standard Operating Procedures (SOP).

### 3.6

#### **procedure**

An established practice to be followed in performing a specified task.

### 3.7

#### **reliable**

Results that are repeatable when applied as designed.

**3.8****sensitivity studies**

In general, a set of critical studies performed during developmental and/or internal validation of test methods designed to define the lower and upper limits/bounds of detection.

**3.9****shall**

Used to indicate that a provision is mandatory.

**3.10****should**

Used to indicate that a provision is not mandatory, but recommended as good practice.

**3.11****specificity studies**

In general, studies designed to determine the ability of a procedure to discriminate between two or more substances.

**3.12****validation**

Validation is a process by which a procedure is evaluated to determine its efficacy and reliability for forensic analysis and includes the following:

- a) developmental validation is the acquisition of test data and determination of conditions and limitations of a new or novel BPA methodology for use in case work;
- b) internal validation is an accumulation of test data within the agency to demonstrate that established methods and procedures perform as expected in the agency.

## **4 Requirements**

### **4.1 Overview**

**4.1.1** Validation includes developmental validation and internal validation. Developmental validation involves the testing of procedures in BPA. Internal validation involves testing of procedures that are new to an agency.

**4.1.2** Developmental validation is typically performed within the broader BPA community and internal validation is performed by individual agencies.

**4.1.3** The agency shall validate all procedures for bloodstain pattern analysis prior to casework. In instances where an unvalidated, case-specific procedure is available and evidence may be lost, destroyed, or altered if the procedure is not used immediately, validation may be performed subsequently to the procedure and prior to reporting results. An example is implementation of a technique that an analyst learned at a conference and the technique may prove useful at a scene which may not be held after the analyst's work is completed.

**4.1.4** The agency shall maintain copies of publications, notes and records that provide details on the validation studies conducted on the procedures.

## **4.2 Developmental Validation**

**4.2.1** Developmental validation shall be documented appropriately and peer reviewed within the scientific community. Publication in a peer reviewed journal would be an example of such a review.

**4.2.1.1** Documented testing of the procedure using control samples shall include but is not limited to the assessments of the following performance parameters, when they are applicable to the procedure being validated. The developmental validation shall include the following.

- a) Specificity studies.
- b) Sensitivity studies.
- c) Reliability studies.
- d) Accuracy studies.
- e) Testing limitations—Considerations include the effect of the procedure on sequential processing and adherence to standard forensic protocol and testing.

**4.2.1.2** A list of existing documentation related to the new procedure.

**4.2.1.3** A description of the applicability of the procedure.

**4.2.1.4** A list of required equipment and materials.

## **4.3 Internal Validation**

**4.3.1** Prior to utilizing procedures, internal validation shall be performed, documented and technically reviewed within the agency's quality assurance program or some equivalent review process. The validation of new equipment for bloodstain pattern analysis shall be done. The scope and purpose of internal validation are to demonstrate the procedure produces accurate and reliable results within the agency as designed.

**4.3.1.1** The intent of internal validation is not to repeat the developmental validation; therefore, the scope or extent of the parameter testing may be of a more limited nature. There shall be documented testing of the procedure being implemented using control samples. References and publications containing the developmental validation should be available in support of the internal validation. This testing shall include assessments of the following performance parameters, when they are applicable to the procedure being validated.

- a) Specificity (as differentiated from Developmental Validation)

EXAMPLE Does the procedure or product or equipment give the appropriate results with positive and negative controls?

- b) Sensitivity (as differentiated from Developmental Validation)

EXAMPLE Does the product detect (presumptive) blood at the greatest reported dilution as stated by the manufacturer?

c) Reliability

d) Accuracy.

**4.3.1.2** If a substantive modification of a physical or analytical component that could affect the results is made to a validated procedure within the agency, the modified procedure shall be validated.

**4.3.2** Suggested strategy for the validation of procedures.

- a) Develop a plan.
- b) Define participants and responsibilities.
- c) Define the application, purpose and scope of the procedure.
- d) Define the performance parameters (see 4.2.1.1 and 4.3.1.1) and acceptance criteria.
- e) Design experiments.
- f) Verify control samples, standards, reagents and equipment performance.
- g) Perform experiments.
- h) Adjust experimental parameters.
- i) Perform adjusted experiments, if necessary.
- j) Evaluate procedure performance according to acceptance criteria.
- k) Determine if a procedure has been validated in accordance with the requirements listed above.  
If not, reevaluate the procedure and repeat the validation process.
- l) Develop SOPs for the procedure.
- m) Define type and frequency of quality control checks for the procedure.
- n) Document validation experiments and results in the validation report.

**4.3.3** A validation report shall be prepared. The report shall include the following where applicable.

- a) Objective(s) and scope of the procedure.
- b) List of control samples, standards, and reagents.
- c) Procedures for quality checks of standards and reagents used.
- d) Health and safety considerations.
- e) Procedure parameters.

- f) Listing of equipment and its performance requirements.
- g) Detailed conditions by which the experiments were conducted, including sample preparation.
- h) Statistical procedures and representative calculations.
- i) Procedures for quality control.
- j) Procedures for acceptance criteria.
- k) Participant(s) who developed and initially validated the method.
- l) Summary and conclusions including technical review dates and references.

**Annex A**  
(informative)

**Bibliography**

- 1] Scientific Working Group on Bloodstain Pattern Analysis (SWGSTAIN): *Guidelines for the Validation of New Procedures in Bloodstain Pattern Analysis*, issue date 04/11/2011.



Academy Standards Board  
410 North 21st Street  
Colorado Springs, CO 80904

[www.asbstandardsboard.org](http://www.asbstandardsboard.org)