

ASB Standard 076, First Edition
2025

**Standard for Training and Certification of Canine
Detection of Human Remains: Human Remains on Land**



ASB
ACADEMY
STANDARDS BOARD

Standard for Training and Certification of Canine Detection of Human Remains: Human Remains on Land

ASB Approved Xxxxx 2025

ANSI Approved Xxxxx 2025



410 North 21st Street
Colorado Springs, CO 80904

This document may be downloaded from: www.aafs.org/academy-standards-board

This document is provided by the AAFS Standards Board (ASB). Users are permitted to print and download the document and extracts from the document for personal use, however the following actions are prohibited under copyright:

- *modifying this document or its related graphics in any way;*
- *using any illustrations or any graphics separately from any accompanying text; and,*
- *failing to include an acknowledgment alongside the copied material noting the AAFS Standards Board as the copyright holder and publisher.*

Users may not reproduce, duplicate, copy, sell, resell, or exploit for any commercial purposes this document or any portion of it. Users may create a hyperlink to www.aafs.org/academy-standards-board to allow persons to download their individual free copy of this document. The hyperlink must not portray AAFS, the AAFS Standards Board, this document, our agents, associates and affiliates in an offensive manner, or be misleading or false. ASB trademarks may not be used as part of a link without written permission from ASB.

The AAFS Standards Board retains the sole right to submit this document to any other forum for any purpose.

Certain commercial entities, equipment or materials may be identified in this document to describe a procedure or concept adequately. Such identification is not intended to imply recommendations or endorsement by the AAFS or the AAFS Standards Board, nor is it intended to imply that the entities, materials, or equipment are necessarily the best available for the purpose.

Proper citation of ASB documents includes the designation, title, edition, and year of publication.

*This document is copyrighted © by the AAFS Standards Board, LLC. 2025 All rights are reserved.
410 North 21st Street, Colorado Springs, CO 80904, www.aafs.org/academy-standards-board.*

Foreword

This document serves as a baseline for the general protocols for training human remains detection on land. This standard promotes consistency across organizations utilizing canines for the detection of human remains on land and relieves the judicial system of conflicting protocols. This Standard represents the current ASB Dogs and Sensors consensus body's consensus between veterinarians, scientists, and practitioners regarding available relevant scientific understanding and practical experience.

This standard is intended to be applied prospectively, and not retroactively.

The training programs described in this standard have not been validated because there are no validated training programs. Given the lack of validation studies in this area, the standard assembled selected professional expert opinions about best practices into a training document, so that the training and accreditation of canine teams across this discipline of canine detection is standardized. Although validated training standards are the goal, this is a consensus-based training document that, when followed correctly, will increase standardization. Standardization is a form of quality control that seeks to increase consistency in canine detection results, independent from validation. The result of this will be increased repeatability and reproducibility within the discipline while the necessary research develops ^[48].

To understand the value of standardization in canine detection disciplines, this standard needs to be assessed with the role of forensic canine detection in mind. Detection canine teams serve as an investigative tool. The detection results may be used to establish “probable cause,” develop leads that investigators can pursue, or to assist emergency professionals. Detection teams, like many forensic techniques, cannot confirm someone’s involvement in a crime, confirm the nature of any materials at a crime scene, or determine details or timelines associated with crime events. Confirmatory analyses that serve this purpose require additional investigation, laboratory testing, and (ideally) many pieces of corroborating evidence. Confirmatory testing might occur *because of* the work done by a canine team, and confirmatory techniques also have limitations and error rates—some known, some not. A result from a canine detection team alone is insufficient as a basis for closing investigations or be used alone as a basis for charging someone.

While the proposed standard has not been validated, there is research that provides evidence that standardized training and testing increases consistency and reliability ^[48]. Standardization can advance our ability to research specific aspects of training in combination with specific detection purposes. It is expected as the research continues that this standard will evolve and additional specific citations to research to support or alter specific aspects of the training standards are expected as a result of this standard.

Standardized training protocols and certification criteria produce several benefits. First, any canine detection teams that meet the criteria set forth in this training and certification standard have passed a predetermined minimum level of the performance and have been required to follow a specific set of rules and guidelines to achieve that. The goal of this standard is to encourage all canine teams to meet or exceed this training/certification protocol and to minimize individual discretion on the part of handlers and examiners/assessors. Standardization also leads to general improvements in reproducibility within and among canine teams. Even though these protocols have not been validated, having a detailed protocol like the ones described in this standard is expected to increase the likelihood that different canine teams trained under this regimen react the same to the same evidence or materials. Finally, the required documentation allows appropriately

trained individuals to assess and review the canine team's performance. Thus, standardization is a form of quality control and a way to increase consistency in canine detection results, independent from validation.

The American Academy of Forensic Sciences established the Academy Standards Board (ASB) in 2015 with a vision of safeguarding Justice, Integrity and Fairness through Consensus Based American National Standards. To that end, the ASB develops consensus based forensic standards within a framework accredited by the American National Standards Institute (ANSI), and provides training to support those standards. ASB values integrity, scientific rigor, openness, due process, collaboration, excellence, diversity and inclusion. ASB is dedicated to developing and making freely accessible the highest quality documentary forensic science consensus Standards, Guidelines, Best Practices, and Technical Reports in a wide range of forensic science disciplines as a service to forensic practitioners and the legal system.

This document was revised, prepared, and finalized as a standard by the Dogs and Sensors Consensus Body of the AAFS Standards Board. The draft of this standard was developed Dogs and Sensors Subcommittee of the Organization of Scientific Area Committees (OSAC) for Forensic Science. This document is based on the scientific working group on dog and orthogonal guidelines (SWGDOG) Approved SWGDOG SC8 Human Remains Detection guidelines.

Questions, comments, and suggestions for the improvement of this document can be sent to AAFS-ASB Secretariat, asb@aafs.org or 410 N 21st Street, Colorado Springs, CO 80904.

All hyperlinks and web addresses shown in this document are current as of the publication date of this standard.

ASB procedures are publicly available, free of cost, at www.aafs.org/academy-standards-board.

Keywords: *human remains detection, cadaver, canine team assessments, canine certification, maintenance training, record keeping, document management.*

Table of Contents *(to be finalized upon publication)*

1.	Scope
2.	Normative References
3.	Terms and Definitions
4.	Canine Team Requirements
5.	Canine Team Assessments
6.	Canine Team Certification
7.	Canine Team Maintenance Training
8.	Training Aids Storage and Handling
9.	Records and Document Management
	Annex A. Informative References

Standard for Training and Certification of Canine Detection of Human Remains: Human Remains on Land

1 Scope

This document provides the requirements for the training, certification, and documentation pertaining to canine teams trained to search for human remains on land. This document does not cover mass disaster victim location canine activities, which are covered under separate standards.

2 Normative References

There are no normative reference documents. Annex A, Bibliography, contains informative references.

3 Terms and Definitions

For purposes of this document, the following discipline specific definitions apply. Please refer to ASB Technical Report 025, *Crime Scene/Death Investigation – Dogs and Sensors – Terms and Definitions*, First Edition, 2017 for a comprehensive listing of detailed general canine detection definitions.

3.1 adipocere (grave wax)

Is a waxy or greasy decomposition product formed by hydrolysis and hydrogenation of tissue fats formed in a moist or anaerobic conditions.

3.2 alert

A characteristic change in ongoing behavior in response to a target odor, as recognized by the canine handler. The components of the alert may include: change of behavior (COB), interest, and trained final response.

3.3 alternative training aid

Any type of training material that does not use unadulterated target material; commonly used in the cases where the target material is hazardous, limited availability, or controlled access; subclassifications include, Sorption, Mimic, Dilution, and Vigilance Aids.

3.4 area search

The act of using a canine to search a designated area for a target odor.

3.5 assessments

An evaluation during training and/or certification process; a tool to assess canine team ability.

3.6**assessor**

An individual with relevant training and experience in the discipline being evaluated, who assesses the performance of canine, canine handler, or canine team while showing no bias or partiality.

3.7

behavior Any measurable internally coordinated physical response(s) of the canine to internal or external stimuli. Can be voluntary (goal directed) or involuntary (reflexive).

3.8**blank search**

A training or certification exercise in which the target odor is not present.

3.9**blood**

The fluid consisting of plasma, blood cells, and platelets that is circulated by the heart through the vertebrate vascular system, carrying oxygen and nutrients to and waste materials away from all body tissues.

NOTE Fresh blood removed from the body is defined as blood that is less than 24 hours old, old or aged blood is defined as blood that is greater than 24 hours old ^[41].

3.10**burned remains**

Human remains which have been exposed to fire, flame, or high heat.

3.11**canine handler**

A person who has successfully completed a recognized course of canine handling in a specific discipline and maintains those abilities through field applications, maintenance training, certification, recertification and agency or program required continuing canine education.

3.12**canine team**

A human and working canine that train and work together as an operational unit.

3.13**certification**

A process that attests to the successful completion of an examination of relevant skills for the canine team.

NOTE Certifications are comprised of operational assessments (see [3.55 operational assessments](#))

3.14**certifying authority**

The organization authorizing the certification of a canine team.

3.15**certifying official**

A person who has been delegated by the certification authority to conduct a certification and sign certificate(s) on behalf of an organization or entity, that recognizes a canine team has been trained to a particular standard within the organization.

3.16**Change of Behavior****COB**

A characteristic pattern of behaviors, as recognized by the canine handler, that occurs when the canine detects a target odor/scent. This differs from other olfactory interest that otherwise is exhibited by the canine in response to the daily environment. The canine's initial change of behavior typically leads to following the odor/scent to its source/target. The pattern of behavior may be unique to each canine.

3.17**competent canine trainer**

A person having the skills, knowledge, and experience to train canines and canine handlers, who has demonstrated, through education, training, and operational experience, extensive skills and knowledge in the subject field or discipline. This person would normally perform the maintenance training and proficiency training in the field and may train canines in preparation for a formal course of instruction.

3.18**concealed**

Refers to the location of the training aid which is hidden from sight.

3.19**concentration (chemical)**

The amount of a constituent expressed as a mass or volume divided by the total amount of material expressed as a mass or volume.

3.20**confirmed operational outcome**

Verification of search results following a deployment of a canine team(s).

3.21**contamination**

When an odor is inadvertently introduced. Contamination can include the following: contamination of a search area with a target odor or contamination of a training aid with competing odor.

3.22**containment systems**

Any means of restricting target odor to prevent cross-contamination, odor dispersion, or odor transfer or any means of limiting access to training aid sources during training or certification to prevent consumption, movement, or relocation.

3.23**control**

A sample used as a quality control measure to demonstrate that the system is working to an optimum level and/or that the integrity of the analytical process is maintained. Material of established origin that is used to evaluate the performance of a test or comparison. A test with an expected positive or negative result often used to confirm the reliability of the method being used.

3.24**controlled search**

1) An experiment/training/testing exercise in which any defined variable(s) is consistent within specific parameters.

2) Handler maintains control of the canine during a test/assessment/training/search to ensure safety or adequate coverage using on or off leash verbal or visual commands.

3.25**debris**

Scattered fragments, remains, or pieces of material that are left behind after something has been destroyed or deteriorated (explosion, mudslide, landslide, avalanche, tornado, hurricane, fire, etc.).

3.26**decomposition fluids**

Fluids associated with the human body decay process that produces a distinctive odor.

3.27**deployment**

Assignment of a canine team in an operational environment.

3.28**deployment record or utilization record**

A record of the deployment and/or utilization of a trained canine team, maintained separately from other records, i.e., training, assessments, or certifications. A record documenting the deployment and/or utilization of the canine team, especially an account of an act or occurrence kept in writing or some other permanent form, i.e., electronic format, which is discoverable.

3.29**detector/detection canine****detector dog**

A canine trained to detect and give a trained final response to the presence of certain scents or odors for which it has been trained.

NOTE May be referred to as a law enforcement or search and recovery working canine, which is not to be confused with canines covered by the Americans with Disabilities Act (ADA).

3.30**distractor**

Non-target stimuli placed or naturally occurring within a search area. These can include: humans, toys, food, animal odor, etc.

3.31**double-blind assessment/double-blind testing**

In the evaluation of a canine team, neither the assessor nor the canine handler knows the location of the target odor or whether target odor is present (i.e., a blank/null search) or the assessor is not in a position to influence the outcome (i.e., two-way glass, video monitoring, physical barriers, great distance).

3.32**dry bone**

Bone that no longer retains its visco-elastic properties (it could still be associated with tissue, but that tissue would likely be mummified).

3.33**false hole**

Depression, void, or disturbed earth that is intentionally created in a search environment by the assessor/ evaluator/ handler/certifying official that does not contain and has not contained the odor of human remains. This is a distractor depression or void.

3.34**false trained final response**

In a controlled environment, the canine displays behavior the handler recognizes as an alert as if target odor/scent was present when it is known that it is not.

3.35**fresh stage**

A recently deceased human, aged no longer than 24 hours old, for example fresh blood ^[41].

3.36**handler error**

Any action or cue made by the handler that causes the canine to perform incorrectly.

3.37**HRD**

Human Remains Detection

3.38**human decomposition**

The postmortem process in which tissues and macro molecules in human bodies breakdown into simple organic matter over time.

3.39**human remains**

Whole of a deceased person, or parts of a human body.

3.40**human tissue**

An aggregation of similarly specialized human cells (skin, muscle, fat, organ, and bone) united in the performance of a particular function.

3.41**initial training**

The fundamental training associated with detector canine training which consists of, but not limited to: bonding/relationship building, obedience, basic odor/scent recognition and discrimination, and basic search techniques.

3.42**interest**

Any reaction to an odor, which may include:

(1) A noticeable, readable, physical change in behavior in a detector canine during the search when the canine reacts to (i.e., is interested in) an odor.

(2) Pattern of behavior following the canine's initial reaction to a trained odor when the canine displays motivation to remain at or trace the trained odor to its source.

3.43**maintenance training**

Continuing training conducted beyond the initial training of a discipline, designed to maintain a level of proficiency by ensuring the canine team's capability to perform desired tasks.

3.44**mission requirement**

Performance demanded of a person or canine team in accordance with certain fixed regulations, needs of the department or agency. Compulsory pre-requisites needed before deployment.

3.45**mummification**

The desiccation of human tissues under conditions of high temperature and low humidity.

3.46**natural distractors**

Distractor odor(s) that are naturally occurring in the search environment that are not placed by assessors, evaluators, certifying officials, observers, or participants. Examples may include animal remains that were not placed by someone, holes that were dug by wild animals, feces from other animals, etc.

3.47**non-productive response**

A change of behavior of the canine followed by a positive indication which cannot be confirmed.

NOTE 1 This may be the result of residual odor that the canine can detect but which cannot be confirmed by technology or direct observation.

NOTE 2 A non-productive response may also be an error—a false final response—but these outcomes cannot be distinguished in an operational environment.

3.48**obedience training**

The training of an animal, especially a canine, to obey certain commands.

228 **3.49**

229 **odor**

230 Volatile chemicals emitted from a substance that are able to be perceived by olfaction.

231 NOTE "Odor" has traditionally referred to canine detection of a substance; "scent" has traditionally referred
232 to canine detection of humans.

233 **3.50**

234 **odor dispersion**

235 The movement of odor in an environment, which is affected by environmental
236 conditions/factors/influences.

237 **3.51**

238 **odor recognition**

239 Demonstration of the canine's ability to alert to a target odor(s).

240 **3.52**

241 **odor recognition assessment**

242 A test of the canine's olfactory ability to discriminate and perform its trained final response to
243 target odor(s) in a controlled environment.

244 **3.53**

245 **off-lead**

246 Any work or interactions with the canine where the canine is not attached to a lead.

247 **3.54**

248 **organization**

249 An organized body with a particular purpose.

250 NOTE In this document, an organization can consist of a single canine team or any other organization,
251 department, agency, or entity.

252 **3.55**

253 **operational assessment**

254 An evaluation conducted (single-blind or double-blind) in an operational environment in which the
255 canine team will be deployed or utilized.

256 **3.56**

257 **operational proficiency**

258 A measure of the canine team's capability to perform desired tasks on operational search missions.

259 NOTE Ways of demonstrating such proficiency include certification, engaging in regular maintenance
260 training, etc.

261 **3.57**

262 **proficiency assessment/testing**

263 An evaluation during training; a tool to assess team ability.

- 264 **3.58**
 265 **random/randomized**
 266 When the choice of something or the placement of something is random, the source placed is
 267 equally likely to be in any location.
- 268 **3.59**
 269 **record**
 270 Documentation of the use of the canine and canine team for the working life of the canine kept in
 271 writing or some other permanent form, i.e., electronic format.
- 272 NOTE Including veterinary, training, certification, assessment, maintenance, deployment, etc.
- 273 **3.60**
 274 **reliability**
 275 The extent to which (1) an experiment, test, or measuring procedure yields the same results on
 276 repeated trials; (2) there is a low probability of alerting to anything other than a target odor and a
 277 high probability of alerting to a target odor; (3) evidence establishes a fair probability that a target
 278 odor is present; (4) a measurement is repeatable and consistent and free from random errors.
- 279 **3.61**
 280 **residual odor**
 281 Odor that originated from any target source/subject that lingers and may not be physically
 282 recoverable or detectable by other means.
- 283 **3.62**
 284 **routine training**
 285 Canine training conducted with regularity that maintains the canine's operational capabilities.
- 286 **3.63**
 287 **set time**
 288 The length of time between the target placement and when the canine is deployed to detect the
 289 target odor.
- 290 **3.64**
 291 **single-blind assessment/testing**
 292 An evaluation of the canine team's ability to complete an exercise where the
 293 assessor/evaluator/certifying official knows the outcome and the canine team does not.
- 294 **3.65**
 295 **smear**
 296 A small amount of training aid that is placed in the search environment via touching the target
 297 source with object, gauze, a gloved hand, etc., and pressing or wiping target odor onto a surface.
- 298 **3.66**
 299 **surface deposition**
 300 The placement of human remains on the surface of the ground.
- 301 **3.67**
 302 **systematic search**
 303 A technique that employs a specific search pattern to increase accuracy and minimize omissions,
 304 while maximizing coverage.

3.68**trace**

A minimal amount of target odor that is recognizable by the canine. This amount can be in the form of a smear, touch transfers or dried stains originating from physical material.

3.69**trained final response**

A behavior that a canine has been trained to exhibit in the presence of a trained odor. This behavior may be either passive (sit, stare, down, point, etc.) or active (bite, bark, scratch, jump, etc.).

NOTE This term has traditionally been referred to as “final response”. See ASB Technical Report 025 for definition of “final response”.

3.70**training aid**

Target odor sources used for training, assessments, certification, maintenance training, and proficiency testing.

3.71**urban search**

To locate target odor(s) in a city type of environment.

3.72**voice inflection**

Use of tonal changes and volume to effectively communicate with the canine.

3.73**wet bone**

Bone that still retains its visco-elastic properties, typically due to retention of soft tissue and associated fluids.

4 Canine Team Requirements**4.1 Initial Training of Canine Handler**

4.1.1 The canine handler training shall be conducted by a competent canine trainer in human remains detection from a canine team’s department, agency, entity, or organization, herein referred to as organization (see 3.54), that utilizes a structured curriculum with specific training and learning objectives.

NOTE In this document, an organization can consist of a single canine team or any other organization, department, agency, or entity.

4.1.2 Canine handler training shall include, but not be limited to the following:

- a) proper use of Personal Protection Equipment (PPE);
- b) education on human remains as biohazardous materials, to include safety storage, disposal, transportation, and handling;

- 341 c) completion with a passing score of National Incident Management System (NIMS) (ICS 100, ICS
342 200, IS-700, and IS-800.b) courses^a;
- 343 d) completion with a passing score of a blood-borne pathogen course;
- 344 e) proof of completion of Hazard Materials (HazMat) awareness course;
- 345 f) the ability to “read the canine” (recognize the canine’s change of behavior to particular stimuli);
- 346 g) the acquisition and processing of odor/scent by the canine;
- 347 h) education on the various environmental (e.g., weather and settings) conditions affecting
348 odor/scent dispersion;
- 349 i) canine handling techniques (e.g., voice inflection and lead handling);
- 350 j) rewarding the canine (e.g., type of reward, timing, reward schedules).
- 351 k) education on cognitive bias and the effects of handler influence ^[31,57];
- 352 l) first aid for canine and handler;
- 353 m) fitness for canine and handler ^[18,22];
- 354 n) preparation of training logs;
- 355 o) education on crime scene preservation;
- 356 p) preparation of search reports;
- 357 q) debriefing of a search;
- 358 r) land navigation; (e.g., maps, compass);
- 359 s) use of global positioning systems (GPS) and tools;
- 360 t) orthogonal detectors (see Table A.2 in Annex A); and
- 361 u) relevant legal aspects to include:
 - 362 — articulate the effect of odor/scent dispersion ^[27,35],
 - 363 — relevant case law,
 - 364 — documentation, and
 - 365 — preparation for courtroom testimony.

^a Available from: <https://training.fema.gov/is/crslist.aspx?lang=en>

4.1.3 The canine handler shall be familiarized with the process of human decomposition. Decompositional changes develop over time and with great variability, depending on the host and environmental factors. The body may be found in various states of decomposition (early, moderate, advanced) which may include:

- a) fresh tissue (there is no visible putrefaction);
- b) putrefaction (focal green skin discoloration, skin slippage, marbling, bloating, diffuse green skin discoloration, foul odor, purged fluid from orifices and other cavities, softening/liquefaction of internal organs);
- c) mummification (affects the face and distal extremities first; body parts/ tissues are desiccated/ dried out; skin takes on a brown-black parchment-like and leathery quality and the internal organs may appear black/brown and putty-like);
- d) adipocere formation (body takes on a firm, grayish white to brown wax-like quality);
- e) skeletonization (occurs at the advanced state of decomposition when most or all soft tissue is absent).

NOTE Human sweat, saliva, vomit, urine, feces, semen, finger/toe nail trimmings, and hair trimmings are not considered human decomposition fluid as they are produced outside of the decay process.

4.1.4 The handler shall understand the range of human decomposition training aids to include:

- a) fresh (no visible putrefaction)/early putrefaction:
 - 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
 - 2) blood,
 - 3) tissue;
- b) advanced putrefaction:
 - 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
 - 2) blood,
 - 3) tissue,
 - 4) adipocere,
 - 5) putrefactive fluid;

NOTE Human sweat, saliva, vomit, urine, feces, semen, finger/toe nail trimmings, and hair trimmings are not considered human decomposition fluid as they are produced outside of the decay process.

- c) mummified remains:
 - 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),

2) tissue;

d) burned remains^[41]:

1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),

2) tissue;

e) bone:

1) wet untreated,

2) dry untreated,

3) burned,

f) teeth:

1) untreated post removal,

2) burned.

4.1.5 The handler shall understand how the training aids are used, to include:

a) varying quantities or thresholds of training aid(s) as produced from a range of large whole body to small amounts;

b) varying containment systems; and

c) varying lengths of placement time.

4.1.6 The handler shall understand the application of search techniques to maximize search efficiency and the canine's opportunity to encounter target odor(s).

4.2 Initial Training of the Canine

4.2.1 Canine training shall be conducted by a competent canine trainer from an organization that utilizes a structured curriculum with specific training and learning objectives. The initial training shall include, but not be limited to 4.2.1.1 through 4.2.1.8.

4.2.1.1 Sufficient obedience training to ensure the canine will operate safely and effectively based on mission requirements. Obedience training should include on- and/or off-lead control and responsiveness to verbal and visual commands.

4.2.1.2 Sufficient control training to ensure the canine will operate safely and effectively based on mission requirements. Control training should include on- and/or off-lead control and responsiveness to verbal and visual commands.

4.2.1.3 Not engaging in any of the following:

a) defecating or urinating within 6 ft (~ 2 m) of the training aid;

- 427 b) consume a training aid;
 - 428 c) aggression towards humans and/or canines; and
 - 429 d) biting, scratching, or aggressively disturbing the training aid.
- 430 **4.2.1.4** Training to perform a predetermined specific trained final response (active or passive)
- 431 upon locating the odor of human remains.
- 432 **4.2.1.5** Training shall include exposing the canine to a variety of different types of searches,
- 433 locations, and environments including the following variables:
- 434 a) a variety of training aid amounts to include:
 - 435 1) trace [in the form of smears, touch transfers or dried blood (one to two drops of blood)] to
 - 436 whole body,
 - 437 2) varying concentration/amounts of available odor;
 - 438 b) a variety of depths, containment systems, and distraction odors/scents;
 - 439 c) a variety of types of search environments (building, burned structures, debris piles, vehicles,
 - 440 wilderness, etc.);
 - 441 d) a variety of weather conditions;
 - 442 e) a varying duration of search times;
 - 443 f) a variety of training aid set times;
 - 444 g) a variety of search area sizes; and;
 - 445 h) a variety of blank searches in different environments.
- 446 **4.2.1.6** Training shall include exposing the canine to a variety of different noise, visual and
- 447 odor/scent distractors.
- 448 **4.2.1.7** The canine shall be exposed to the complete spectrum of human decomposition, including
- 449 a variety of training aid amounts to include low threshold odor of human remains to whole body.
- 450 Examples of training aids include the following:
- 451 a) fresh (no visible putrefaction)/early putrefaction:
 - 452 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
 - 453 2) blood,
 - 454 3) tissue;
 - 455 b) advanced putrefaction:

- 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
- 2) blood,
- 3) tissue,
- 4) adipocere,
- 5) putrefactive fluid;

NOTE Human sweat, saliva, vomit, urine, feces, semen, finger/toe nail trimmings, and hair trimmings are not considered human decomposition fluid as they are produced outside of the decay process.

c) mummified remains

- 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
- 2) tissue;

d) burned remains ^[41]:

- 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
- 2) tissue;

e) bone:

- 1) wet untreated,
- 2) dry untreated,
- 3) burned,

f) teeth:

- 1) untreated post removal,
- 2) burned.

4.2.1.8 The training shall be structured to meet the typical mission requirements of the canine team's organization.

4.3 Initial Training of the Canine Team

4.3.1 The canine team's training shall be structured to meet the typical mission requirements of the canine team's organization.

4.3.2 The bond between the handler and canine shall be developed through training, social interaction, and husbandry.

4.3.3 The canine team shall be trained to perform a safe, effective, and controlled search.

4.3.4 The canine team's initial training shall be continued until the required level of operational proficiency is achieved and the canine team is certified (see Sections 5, 6, and 7).

5 Canine Team Assessments

5.1 Assessments shall be part of certification, maintenance training, and proficiency testing.

5.2 Each assessment shall be the evaluation of a search.

5.3 The canine handler shall articulate the canine's trained final response prior to the start of the assessment. The canine may not be able to make a trained final response due to the components and parameters of the assessment. Reasonable consideration by the assessor shall be given in these instances (e.g., the training aid is inaccessible for the canine to make a trained final response).

5.4 The desired outcome of the search is the correct identification of the number and location of the training aid(s) by the canine team.

5.5 Training aid(s) used for assessments shall be representative of the complete spectrum of human decomposition.

5.5.1 Training aid(s) shall be selected from the following examples.

a) fresh (no visible putrefaction)/early putrefaction:

- 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
- 2) blood,
- 3) tissue;

b) advanced putrefaction:

- 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
- 2) blood,
- 3) tissue,
- 4) adipocere,
- 5) putrefactive fluid;

NOTE Human sweat, saliva, vomit, urine, feces, semen, finger/toe nail trimmings, and hair trimmings are not considered human decomposition fluid as they are produced outside of the decay process.

c) mummified remains

- 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),
- 2) tissue;

513 d) burned remains ^[41]:

514 1) tissue and bone (e.g., extremity cross section, full body, full/partial extremity),

515 2) tissue;

516 e) bone:

517 1) wet untreated,

518 2) dry untreated,

519 3) burned,

520 f) teeth:

521 1) untreated post removal,

522 2) burned.

523 **5.5.2** Only training aids that have been properly maintained, stored, and are in good condition
524 shall be used. The parameters of the training aids are as follows.

525 a) Containers shall be as permeable as possible to maximize surface area for highest odor
526 threshold while completely containing the training aid (suet cage, vented jar, bag, etc.).

527 b) Containers shall be of a size that will prohibit or restrict a canine's ability to swallow the
528 training aid(s).

529 c) Human remains mixtures with non-human odors such as soil introduce non-human odors to the
530 canine's generalized odor picture and should not be used in training. If mixtures with non-
531 human odors such as soil are used, they should be used sparingly. Pure training aid(s) should be
532 prominently used ^[16,35].

533 **5.6** A minimum of 0.5 lb (227 g) of training aid(s) shall be used for buried operational
534 assessments. A minimum of 0.03 lb (15 g) of training aid(s) shall be used for all other assessments.

535 **5.7** When possible, prior to the first canine team entering the assessment area; a separate,
536 nonparticipating canine team should be walked through the assessment area.

537 NOTE This step randomizes canine odor if multiple canines are to be assessed in the same area.

538 **5.8** The canine team assessments are outlined in 5.8.1 through 5.8.2.

539 **5.8.1** The assessments in this section are intended for *single-blind assessments*.

540 **5.8.1.1** Components and parameters of the odor recognition assessments are in 5.8.1.1.1 through
541 5.8.1.1.2.

5.8.1.1.1 Odor recognition assessments shall test the following.

- a) The ability of the canine to detect the trained odor while discriminating from non-trained odor.
- b) Demonstration of the canine's ability to perform a systematic search.
- c) Demonstration of the canine handler's control of the canine during the execution of a systematic search.
- d) The canine handler's recognition of the canine's behavior while searching.
- e) The canine's trained final response.
- f) The canine handler's recognition of the canine's trained final response.

5.8.1.1.2 The odor recognition assessment consists of the following components and parameters.

NOTE Successful completion of this assessment does not indicate proficiency in operational environments.

- a) The canine handler shall be advised of the parameters of the assessment.
- b) The canine handler shall not know the total number or placement of training aids for the totality of the exercise(s).
- c) The assessor shall know the correct outcome of the assessment.
- d) The canine handler shall not know the correct outcome of the assessment.
- e) The assessor shall observe the canine team. At the conclusion of the assessment, the assessor shall compare the search results with the parameters of the search.

This comparison may be done immediately after the handler determines the canine has made its trained final response, or at the conclusion of the entire assessment.

- f) A minimum of six sample containers shall be used.
 - 1) The sample containers shall be placed in a location that minimizes environmental influences that may affect the odor.
 - 2) The sample containers shall be spaced a minimum of 3 ft (~1 m) apart and arranged to minimize contamination of containers and training aids.
 - 3) Each test sample (training aid or distractor) shall be placed in a clean, unused container (boxes, plastic tubs, paint cans, etc.). All containers shall be identical. Containers shall not be sealed or have lids which prevent odor from being readily available. All containers shall be absent of visual cues and external markings of the contents of the container.
 - 4) A minimum of one training aid shall be placed randomly among the sample containers. The number of training aids may increase as long as there are a minimum of six physically stable total containers per training aids used (e.g., if three training aids are placed, then a minimum of 18 containers would be needed).

5) A minimum of four different distractors, uncontaminated by human remains, shall be placed randomly among the sample containers (dog food, gloves, human food, animal remains, a handler's scented article, etc.).

g) The assessor shall select the overall arrangement of the sample containers (e.g., individual lines of containers or circular configurations of containers).

h) The training aid(s) shall be placed a minimum of 5 minutes before the assessment begins.

i) The canine team shall be allowed to search each sample container twice.

j) Successful completion of the odor recognition assessment requires the canine team to locate the training aid(s) with no false final responses.

k) Failure of the odor recognition assessment includes:

1) the canine team fails to locate the training aid(s);

2) the canine team fails to complete the assessment searching each sample container twice;

3) the canine team has a false or nonproductive response(s);;

4) biting, scratching, and/or aggressively disturbing a placed training aid; and/or

5) the assessor can fail the canine team if it is determined that the canine is no longer actively searching.

5.8.1.2 Components and parameters of the operational assessments are in 5.8.1.2.1 through 5.8.1.2.12.

5.8.1.2.1 Operational assessments shall test the following.

a) The ability of the canine to detect the trained odor while discriminating from non-trained odor/scent.

NOTE There is no prohibition to adding additional distractors [e.g., commonly associated materials that are uncontaminated with human remains (e.g., cotton scent bags, plastic bags, plastic containers, glass jars; metal pipes; handling gloves; barriers)] beyond the naturally occurring distractors in each operational assessment. Routine incorporation of intentional distractors ensures the canine is locating human remains, rather than unintended commonly associated materials.

b) Demonstration of the canine's ability to perform a systematic search.

c) Demonstration of the canine handler's control of the canine during the execution of a systematic search.

d) The canine handler's recognition of the canine's behavior while searching.

e) The canine's trained final response.

f) The canine handler's recognition of the canine's trained final response.

5.8.1.2.2 The assessor shall observe the canine team. At the conclusion of the assessment, the assessor shall compare the search results with the parameters of the search. The assessor may advise the handler of the comparison results immediately after the handler determines the canine has made its trained final response, or at the conclusion of the entire assessment.

5.8.1.2.3 The canine handler shall be advised of the parameters of the assessment, yet shall not know the desired outcome.

5.8.1.2.4 The canine handler shall not know the number or placement of the training aid(s).

5.8.1.2.5 If training aid has to be moved to a new location, the previously used area shall be removed as a testing site.

5.8.1.2.6 The assessor shall know the desired outcome of the assessment.

5.8.1.2.7 Natural distractors are normally present and vary depending on the assessment area. If not already present, animal remains should be placed out as a distractor (ground level, buried, etc.). Placement of distractors in the assessment area is required when no natural distractors are present. Care shall be taken not to place distractions in a manner that causes contamination with the training aid.

5.8.1.2.8 The training aid(s) shall be concealed sufficiently to avoid visual cues indicating the location of the training aid to the canine and/or handler.

5.8.1.2.9 Successful completion of the operational assessment requires the canine team to achieve at least a 90% positive trained final response rate as defined and calculated in ANSI/ASB Std 088, combined with no false final response(s) and within the specified search time.

NOTE In ANSI/ASB Std 088, the term “alert” was used in place of “final response” in some instances.

5.8.1.2.10 Failure of the operational assessment includes the following.

- a) The canine team fails to achieve a 90% positive final response rate.
- b) The canine team fails to complete the assessment within the specified search time.
- c) The canine team has a false or nonproductive response(s)..
- d) Defecating or urinating within 6 ft (~ 2 m) of the training aid; consuming a training aid; and aggression towards humans and/or canines; disruption of a placed training aid(s) (destructive contact, bite, and/or dig).
- e) The assessor can fail the canine handler team if it is determined that the canine is no longer actively searching.

NOTE The assessor may suspend the search if the canine handler team experiences a medical emergency (e.g., heat exhaustion, injury, frostbite).

5.8.1.2.11 The operational assessments shall be representative of the canine’s expected operational environment.

5.8.1.2.12 Operational assessments to include, but are not limited to the testing parameters in 5.8.1.2.12.1 through 5.8.1.2.12.6.

5.8.1.2.12.1 The wilderness operational assessments are designed to evaluate the canine team's ability to locate human remains within a natural environment. The wilderness operational assessment consists of the following components and parameters.

- a) The assessment shall include a minimum of three individual search areas.
- b) The individual search areas shall be a minimum of one (1) acre or 43,560 ft² (4,047 m²) and maximum of two (2) acres or 87,120 ft² (8,094 m²). For a minimum total assessment search area of three (3) acres or 130,680 ft² (12,141 m²).
- c) Each individual search area shall not share boundaries with one another to minimize overlap of the target odors between individual search areas.
- d) Flags, printed maps, or Global Positioning System (GPS) coordinates shall be utilized to mark the boundaries for the individual search areas.
- e) A minimum of one individual search area shall be blank.
- f) A minimum of one individual search area shall contain one (1) or two (2) training aid(s).
- g) The remaining individual search areas shall have zero (0), one (1), or two (2) training aid(s) per each individual search area.
- h) The number of training aid(s) per individual search area shall be determined by a random number generator or the assessor's discretion based on the individual search area's constraints.
- i) If the individual search area contains two (2) training aids then each training aid shall be separated by a minimum of \approx 33 ft (10 m) or shall be placed in such a manner to mitigate the possibility of target odors being encountered at the same time.
- j) The training aid(s) shall be placed anywhere from ground level to 6 ft (\sim 2 m) high.
- k) The training aid(s) shall be placed a minimum of 30 minutes before the assessment begins.
Note the set time can be increased depending on the complexity of the concealment and the training aid used.
- l) The assessment should take no more than 30 minutes per individual search area. Based on the topography and the complexity of the individual search area(s), additional time per individual search area(s) may be allowed. The assessor shall notify the canine team(s) of the maximum search time prior to beginning the assessment. The time allotment may also be increased by the assessor if an unplanned event or circumstance impacts a specific team during the assessment [e.g., animal(s) that may introduce a safety issue in the search area, weather hazard, or other safety issues].

5.8.1.2.12.2 The buried operational assessments are designed to evaluate the canine team's ability to locate human remains buried within a natural environment. The buried operational assessment consists of the following components and parameters.

- a) The assessment shall include a minimum of two individual search areas.
- b) The individual search areas shall be a minimum of ½ acre or 21,780 ft² (2023 m²) and no larger than one (1) acre or 43,560 ft² (4,047 m²) for each area. For a minimum total assessment search area of one (1) acre or 43,560 ft² (4,047 m²).
- c) Each individual search area shall not share boundaries with one another to minimize overlap of the target odors between individual search areas.
- d) Flags, printed maps, or Global Positioning System (GPS) coordinates shall be utilized to mark the boundaries for the individual search areas.
- e) A minimum of one individual search area shall contain one (1) training aid.
- f) The remaining buried area(s) shall have zero (0) or one (1) training aid per each buried area.
- g) The number of training aid(s) per individual search area shall be determined by a random number generator or the assessor's discretion based on the individual search area's constraints.
- h) Training aid(s) shall be covered by a minimum of 6 in. (15.25 cm) and a maximum of 24 in. (25.4 cm) of loose soil.
- i) If the individual search area contains two (2) training aids then each training aid shall be separated by a minimum of ≈ 33 ft (10 m) or shall be placed in such a manner to mitigate the possibility of target odors being encountered at the same time.
- j) There shall be a minimum of three (3) false holes per individual search area. False holes shall be a minimum of 33 ft (10 m) from a training aid and shall be placed in such a manner to mitigate the collection of target odor on a false hole.
- k) The training aid(s) shall be placed a minimum of six (6) hours before the assessment begins. Note the set time can be increased depending on the complexity of the concealment and the training aid used.
- l) The assessment should take no more than 30 minutes per individual search area. Based on the topography and the complexity of the individual search area(s), additional time per individual search area(s) may be allowed. The assessor shall notify the canine team(s) of the maximum search time prior to beginning the assessment. The time allotment may also be increased by the assessor if an unplanned event or circumstance impacts a specific team during the assessment [e.g., animal(s) that may introduce a safety issue in the search area, weather hazard, or other safety issues].

5.8.1.2.12.3 *Urban exterior operational assessments* are designed to evaluate the canine team's ability to locate human remains within an urban environment. Potential urban exterior operational assessment areas shall be consistent with the operational requirements of the canine team (building exteriors, alley ways, sidewalks, streets, and other city environments, etc.). The urban exterior operational assessment consists of the following components and parameters.

- 711 a) The assessment shall include a minimum of one (1) search area.
- 712 b) The search area shall be a minimum $\approx 1000 \text{ ft}^2$ (93 m^2) and no larger than $2,000 \text{ ft}^2$ (186 m^2).
- 713 c) The number of training aid(s) is zero (0) to two (2) and shall be selected randomly for
714 placement in the area.
- 715 d) The number of training aid(s) per individual search area shall be determined by a random
716 number generator or the assessor's discretion based on the individual search area's constraints.
- 717 e) The training aid(s) shall be placed anywhere from ground level to 6 ft ($\sim 2 \text{ m}$) high.
- 718 f) If the individual search area contains two (2) training aids then each training aid shall be
719 separated by a minimum of $\approx 33 \text{ ft}$ (10 m) or shall be placed in such a manner to mitigate the
720 possibility of target odors being encountered at the same time.
- 721 g) The training aid(s) shall be placed a minimum of 30 minutes before the assessment begins.
- 722 Note the set time can be increased depending on the complexity of the concealment and the
723 training aid used.
- 724 h) The assessment should take no more than 15 minutes per individual search area. The time
725 allotment may also be increased by the assessor if an unplanned event or circumstance impacts
726 a specific team during the assessment [e.g., animal(s) that may introduce a safety issue in the
727 search area, weather hazard, or other safety issues].
- 728 **5.8.1.2.12.4** *Interior building/structure* operational assessments are designed to evaluate the
729 canine team's ability to locate human remains within an interior building/room. The interior
730 building/structure operational assessment consists of the following components and parameters.
- 731 a) The assessment shall include a minimum of one (1) search area.
- 732 b) The search area shall be a minimum $\approx 1000 \text{ ft}^2$ (93 m^2) and no larger than $2,000 \text{ ft}^2$ (186 m^2)
733 which may include multiple rooms.
- 734 c) The number of training aid(s) is zero (0) to two (2) and shall be selected randomly for
735 placement in the area.
- 736 d) The number of training aid(s) per individual search area shall be determined by a random
737 number generator or the assessor's discretion based on the individual search area's constraints.
- 738 e) The training aid(s) shall be placed anywhere from ground level to 6 ft ($\sim 2 \text{ m}$) high.
- 739 f) If the individual search area contains two (2) training aids then each training aid shall be
740 separated by a minimum of $\approx 33 \text{ ft}$ (10 m) or shall be placed in such a manner to mitigate the
741 possibility of target odors being encountered at the same time.
- 742 g) The training aid(s) shall be placed a minimum of 30 minutes before the assessment begins.
- 743 Note the set time can be increased depending on the complexity of the concealment and the
744 training aid used.

h) The assessment should take no more than 15 minutes per individual search area.

5.8.1.2.12.5 *Light debris (e.g., non-disaster environment)* operational assessments are designed to evaluate the canine team's ability to locate human remains within urban and rural environments. Potential *light debris* operational assessment area(s) shall be consistent with the operational requirements of the canine team (trash piles, pallet piles, small collapsed or burned structure, etc.). The *light debris* operational assessment consists of the following components and parameters.

a) The assessment shall include a minimum of one (1) search area(s).

b) The search area shall be a minimum $\approx 1000 \text{ ft}^2$ (93 m^2) and no larger than $1,500 \text{ ft}^2$ (140 m^2).

c) The number of training aid(s) is zero (0) to two (2) and shall be selected randomly for placement in the area (s).

d) The number of training aid(s) per individual search area shall be determined by a random number generator or the assessor's discretion based on the individual search area's constraints.

e) If the individual search area contains two (2) training aids then each training aid shall be separated by a minimum of $\approx 33 \text{ ft}$ (10 m).

f) Training aid(s) shall be concealed by a minimum of 6 in. (15.25 cm) and a maximum of 12 in. (30.5 cm) below the surface of the debris.

g) The training aid(s) shall be placed a minimum of 30 minutes before the assessment begins.

Note the set time can be increased depending on the complexity of the concealment and the training aid used.

h) The assessment should take no more than 15 minutes per individual search area.

5.8.1.2.12.6 The motor vehicle operational assessments are designed to evaluate the canine team's ability to locate human remains concealed in the exterior or interior of a vehicle. The vehicle operational assessment consists of the following components and parameters:

a) The assessment should include a minimum of 5 vehicles.

b) The number of training aid(s) shall be zero (0) to a maximum of one (1) training aid for every five (5) vehicles.

1) Whether the assessment includes a training aid, or not, shall be determined randomly.

2) If the assessment includes a training aid, the vehicle the training aid is placed on shall be selected randomly.

3) No more than one (1) training aid shall be placed on or in each vehicle.

4) No two (2) vehicles containing training aids shall be placed next to each other.

c) Training aid(s) shall be randomly placed within the exterior and interior of the vehicles used in the assessment. Potential training aid placement may include, but is not limited to:

- 1) closed engine compartment;
 - 2) closed passenger compartment with windows rolled up and doors/hatch closed;
 - 3) closed trunk compartment with no additional concealment beyond the training aid packaging material;
 - 4) open passenger compartment with window(s) rolled down and/or door(s)/hatch open [i.e., console, glove box, in a parcel/luggage, under seat(s)];
 - 5) open trunk compartment with a training aid concealed within a parcel/luggage, spare tire well, and storage compartment, etc.
 - 6) vehicle exterior (bumper, quarter panels, wheel wells, etc.); and/or
 - 7) undercarriage.
- d) Any type or model of passenger vehicle, including pickup trucks, vans, and buses may be utilized for testing. Commercial vehicles such as 18-wheelers, police cars, ambulances, fire engines, or vehicles that have been in scrap yards should not be used due to their potential for contamination with human remains odor.
 - e) The parking area shall be consistent with the number of vehicles to be searched or larger, with ample room between each vehicle to allow the canine team to move around each vehicle.
 - f) The training aid(s) shall be placed a minimum of 30 minutes before the assessment begins.
- Note the set time can be increased depending on the complexity of the concealment and the training aid used.
- g) The canine team shall conduct the search in accordance with their organization's requirements (e.g., the organization's requirements is that only exteriors of the vehicle are searched with window(s)/door(s)/other opening(s) closed and/or a specified number of passes around the vehicle).
 - h) The assessment should take no more than two (2) minutes per vehicle. Based on the size of the vehicle and the complexity of the search, additional time per vehicle may be allowed.

5.8.2 The assessments in this section are intended for *double-blind assessments*.

5.8.2.1 Odor recognition and operational assessments can all be conducted double-blind following the components and parameters described in 5.8.1.

5.8.2.2 Unlike the assessments described in 5.8.1, neither the canine handler, nor the assessor, nor any individual present with the canine team shall know the correct outcome of any portion of the assessment, including whether the search area(s) is a blank or includes a trained odor.

5.8.2.3 The canine team shall be required to successfully complete the assessment as defined by the assessing agency.

5.8.2.4 The assessor shall observe the canine team. At the conclusion of the assessment, the assessor shall compare the search results with the parameters of the search. This comparison may be done immediately after the handler determines the canine has made its trained final response, or at the conclusion of the entire assessment.

5.8.2.5 The canine team should be required to complete a double-blind assessment every six months.

5.8.2.6 A human remains detection double-blind assessment may be used for proficiency testing.

6 Canine Team Certification

6.1 Certification for the named canine team (one canine handler and one canine) shall be valid for up to one year (365 days or 366 days in a leap year). Canine handlers with more than one canine shall be required to independently certify with each canine.

6.2 The canine team shall perform regular documented maintenance training, periodic proficiency assessments, double-blind assessments, and follow other recommended Federal, state, and local guidelines. Certification does not remove the requirement for continuing proficiency training.

6.3 The certifying official(s) shall not be routinely involved in the training (maintenance training, periodic proficiency assessments, double-blind assessment, etc.) of the canine team being evaluated.

6.4 The certification shall be comprised of the assessments listed in Table 1 (single- and/or double-blind assessment, or a combination of both). In order to obtain certification, the canine team shall pass all parameters outlined in Section 5, *Canine Team Assessments*. If the canine is a dual purpose (HRD/alternate detection discipline) then the canine team shall pass all parameters outlined in Section 5, in both this document and the certification requirements in Section 5 of the corresponding detection discipline ASB standard (e.g., ANSI/ASB Std 024, ANSI/ASB Std 026, ANSI/ASB Std 027).

Table 1—Certification Assessments

Required Assessments	Optional Assessments
<ul style="list-style-type: none"> — Odor recognition — Wilderness — Buried 	Select optional assessments based on mission needs: <ul style="list-style-type: none"> — Urban exterior — Interior building/structure — Light debris — Motor vehicle

6.5 A minimum of 0.5 lb (227 g) of training aid(s) shall be used for buried operational assessments. A minimum of 0.03 lb (15 g) of training aid(s) shall be used for all other assessments. Maximum weight of training aid(s) being tested shall be determined by the certifying official and based on mission requirements.

6.5.1 Table 2 contains the training aids representing the complete spectrum of human decomposition.

6.5.1.1 The required training aids listed in Table 2 shall be utilized for all certification testing.

6.5.1.2 The optional training aids listed in Table 2 should be utilized for optional mission specific testing.

Table 2—Human Remains Training Aids for Certification

Required training aids	Optional training aids based on organizational needs (mission specific testing)
Human Decomposition (fresh, early, or advanced) 1) Composite that includes: Full body or portions of a body (Leg, arm, foot, hand, etc.) 2) A combination of two (2) or more of the following: Human tissue, adipocere, wet or dry bone, purge, decomposition fluid, teeth, etc.	Burned remains Dry bone Blood Mummified remains

NOTE Human sweat, saliva, vomit, urine, feces, semen, finger/toe nail trimmings, and hair trimmings are not considered human decomposition fluid as they are produced outside of the decay process.

6.5.1.3 All training aids utilized for any certification testing shall be documented.

6.5.1.4 Handlers shall deploy within the scope of their certification.

6.5.2 Only training aids that have been properly maintained, stored, and are in good condition shall be used.

a) Containers shall be as permeable as possible to maximize surface area for highest odor threshold while completely containing the training aid (suet cage, vented jar, bag, etc.).

b) Containers shall be of a size that will prohibit or restrict a canine's ability to swallow the training aid(s).

c) Human remains mixtures with non-human odors such as soil introduce non-human odors to the canine's generalized odor picture and should not be used in training. If mixtures with non-human odors such as soil are used, they should be used sparingly, pure training aid(s) should be prominently used ^[16,35].

6.5.3 Training aid(s) shall not be placed in plain sight. The concealment should be sufficient to avoid visual cues indicating the location of the training aid to the canine and/or handler.

6.5.4 Training aid(s) used in the certification process should not have been used in the training activities (maintenance training, periodic proficiency assessments, double-blind assessment, etc.) of the team being certified.

6.5.5 Certification shall not take place in areas/locations where regular training (maintenance training, periodic proficiency assessments, double-blind assessment, etc.) takes place.

6.6 At least one certification component should be a double-blind assessment. Certification components that are not double-blind shall be single-blind assessments.

6.7 For successful certification, the canine team shall:

- a) first pass the odor recognition assessment;
- b) locate a minimum of one buried training aid within the buried operational assessment, and;
- c) complete the remaining required and selected optional assessments achieving at least an overall 90% positive trained final response rate as defined and calculated in ANSI/ASB Std 088, combined with a no false final response(s) rate not to exceed 10% as defined and calculated in ANSI/ASB Std 088 and within the specified search time.

6.8 For successful certification, the canine team should be able to locate all training aid(s) within 3 ft (~1 m) from the source without disturbing the training aid(s), barring environmental conditions deemed relevant by the certifying official(s).

6.9 The certifying authority may fail the canine team due to canine handler errors and breaches of safety, which may include, but are not limited to, the following.

- a) The canine team fails to achieve a 90% positive final response rate.
- b) The canine team fails to complete the assessment within the specified search time.
- c) The canine team has a false or nonproductive response(s).
- d) Not maintaining control of the canine.
- e) Allowing canine outside of the search area unless the canine is actively following target odor into the assigned search area.
- f) Not following directions of the certifying official.
- g) Defecating or urinating within 6 ft (~2 m) of the training aid; consuming a training aid; and aggression towards humans and/or canines; disruption of a placed training aid(s) (destructive contact, bite, and/or dig).
- h) The assessor can fail the canine handler team if it is determined that the canine is no longer actively searching.

NOTE The assessor may suspend the search if the canine handler team experiences a medical emergency (e.g., heat exhaustion, injury, frostbite).

6.10 Deliberate compromise of an evaluation will not be tolerated. Any communication concerning specifics of the evaluation will constitute a compromise and will lead to termination of the canine team's certification.

6.11 A mission-oriented environment(s) shall be used.

6.12 A canine team that fails the certification process shall complete a documented corrective action plan before making another attempt to certify. Certifying official(s) shall identify the performance deficiency to the canine handler so that the trainer can determine the minimum amount of time for that deficiency to be remediated before another certification attempt.

6.13 During this remediation time frame, documentation should be provided by the canine trainer/handler to demonstrate that efforts have been enacted to correct the deficiency.

6.14 Organization(s) may enhance the recommended standards in order to make the requirements more stringent.

7 Canine Team Maintenance Training

7.1 The canine team's training shall continue to maintain a level of operational proficiency and obtain and maintain organizational certification requirements (see Sections 5, and 6).

7.2 The canine team shall conduct regular objective-oriented training sufficient to maintain and enhance operational proficiency that includes:

- a) enhancing the proficiency level of the canine team;
- b) maintaining the necessary level of fitness of the canine team;
- c) correcting identified deficiencies;
- d) various types of searches (i.e., wilderness, urban, building, vehicle and debris);
- e) a variety of search locations, environmental conditions (confined spaces, a variety of flooring, dark rooms, attics, modes of transportation, etc.), weather conditions, and search area sizes;
- f) a varied duration of search times at different times of day or night;
- g) a variety of blank searches;
- h) a variety of odor/scent distractions and/or odor/scent/animal distractors in the search area;
- i) a variety of set times;
- j) a variety of training aids, amounts, number of targets, and different sources of targets, from the minimum amount to whole body and covering the full spectrum of decomposition;
- k) the quantity and type of training aids used are dependent on the region, mission, and operational deployment needs of the canine team;
- l) a variety of degrees of concealment (heights, depths, enclosures, locations, etc.); and
- m) a variety of noise distractors (traffic, sirens, children playing, verbiage over a PA system, etc.).

If trace amounts are used, they should be in the form of smears, touch transfers, fresh or dried blood (i.e., a drop).

7.3 Routine training conducted solely by the canine handler to maintain the canine's proficiency is acceptable, but not best practice and shall be combined with supervised training on a regular basis.

NOTE Supervised training by a competent canine trainer improves performance, identifies and corrects training deficiencies, and performs proficiency assessments.

7.4 A canine team shall complete a minimum of 16 hours of training per month to maintain and improve the proficiency level of the team. The 16 hours can be comprised of various elements that maintain proficiency (odor detection, agility, obedience, direction, and control, etc.) and handler education. This can be team or individual-based training.

7.5 The canine team shall perform periodic proficiency assessments throughout the certification period as outlined in Section 5, *Canine Team Assessments*, including a variety of odor recognition assessments, operational assessments, and single- and double-blind assessments.

7.6 Training is meant to sustain, enhance, and promote the performance of the canine team.

7.7 Canine teams shall be challenged during the regular maintenance training sessions within the operational environments for which the canine team may be deployed.

8 Training Aids

8.1 General

Training aids shall be treated as biohazardous material. The procurement, use, handling, storage, and disposal of training aids shall follow applicable organizational and other recommended Federal, state, and local guidelines (see Table 3 for additional information).

Every effort shall be made to train on actual human remains. Only when the actual human remains are not permitted is an alternative training aid acceptable.

NOTE Alternative training aids are not addressed in this standard.

8.2 Storage and Handling

8.2.1 The training aid containers shall be labeled and packaged in a manner safe for both the handler and canine. Each label shall contain, at minimum, the type of training aid, a biohazard label, and the date the training aid was acquired.

8.2.2 Each training aid shall be handled in accordance with biohazard safety procedures [see 4.1.2 a) and 4.1.2 c)] for proper handling, storage, and disposal.

8.2.3 Each training aid shall be properly stored in separate, individual, and impermeable containers such as glass or metal containers (either frozen, air dried, or refrigerated) and secured in a safe manner. There are many variables that will affect training aids' odor profile. Table 3 provides guidance on how various training aids should be stored and handled.

8.2.4 Handling of training aids shall be conducted in a manner that minimizes odor contamination.

8.2.5 Each training aid shall be maintained in a manner to avoid loss and destruction.

8.2.6 Training aids shall be appropriately disposed of and replenished as required and necessary due to odor/scent contamination and/or the perishable nature of the material.

8.2.7 Disposal and/or destruction of the training aids shall follow organization guidelines pertaining to biohazardous materials.

8.2.8 Appropriate records shall be maintained by the canine handler/organization in accordance with Federal, state, and local requirements.

8.3 Transportation

8.3.1 Documentation, depending on the type of training aid and state or local statutes, should be available while transporting aids.

8.3.2 Transportation and vehicle storage of training aids shall follow Federal, state, and local guidelines.

8.3.3 Shipping of training aids should follow Federal, state, and local laws and regulations.

8.3.4 Training aids should be transported in such a manner that they are sequestered from the canine.

8.3.5 Training aids should be secured to prevent theft or loss.

9 Canine Team Records and Document Management

9.1 The canine handler/organization shall document training, certification, canine team assessments and discipline-related deployment data as relevant.

9.2 Proficiency assessments and training records may be combined or separate documents.

9.3 Discipline-related deployment records shall be separated from training, proficiency assessment, and certification documentation.

9.4 Training and discipline-related records should be standardized within the organization.

9.5 Canine team assessment records maintained by the canine handler/organization shall include, but not be limited to, the following data.

a) Name of canine and canine handler.

b) Canine breed, description, age.

c) Canine team(s) organization.

d) Name of assessing organization.

e) Name(s) of individual(s) conducting, assisting, or awarding assessment.

f) Date and time of canine team assessment.

g) Type of canine trained final response stated to assessor.

h) Canine team assessment results [true positive(s), true negative(s), false positive(s), false negative(s)].

1001

Table 3—Storage of Training Aids

		Storage container*	Storage environment			Notes
			Ambient	Refrigerated	Frozen	
Blood	All Stages					It is not recommended to use only the handler's blood for training. Blood should be obtained from someone other than the handler. Storage containers should be opened periodically to introduce oxygen to the sample ^[19] . Recent literature suggests that blood should be stored at room or ambient temperature ^[19] .
	Fresh	Blood collection tube or other container used for initial blood collection, if not being used immediately, container should be transported in glass container with sealing lid (such as canning jar or vial).	Only storage option for fresh	N/A	N/A	Fresh blood will change categories to aged (wet or dry) after 24 hours of storage. Drawing into tubes containing an anticoagulant will delay the decomposition rate of the blood ^[40] .
	Aged - wet	Can be stored in original blood collection container or on alternative substrate (per mission requirement) and then stored in glass container with sealing lid (such as canning jar or vial).	Recommended storage condition. Storing at ambient will allow blood to age at a more natural rate.	Refrigeration does have some effect on the aging and decomposition process, which could affect the odor profile. ^[19]	Not recommended, unless operationally relevant. Freezing/thawing is known to change the odor of blood. ^[19]	Drawing into tubes containing an anticoagulant will delay the decomposition rate of the blood ^[40] .

	Aged - dried	Blood may be dried in open or breathable container (e.g., paper bag), but this poses a greater risk of contamination from other odors in the environment. Long term storage should use glass container with sealing lid (such as canning jar or vial).	Recommended storage condition. Storing in open air at ambient temperature (e.g., dried in external and/or internal environments so long as they are allowed to air dry and not dried in a sealed container) will allow blood to age at a more natural rate.	Refrigeration is not necessary. Refrigeration does have some effect the aging and decomposition process, which could affect the odor profile.	Not recommended, unless operationally relevant. Freezing/thawing is known to change the odor of blood.	Avoid drawing into tubes containing an anticoagulant. Because of the risk of cross-contamination, great care should be taken to avoid drying blood in highly odorous environments, such as a garage.
Human tissue	Wet	Store in glass container with sealing lid (such as canning jar or vial).	If stored at room temp the decomposition will continue and if sealed tight might explode.	Refrigeration will delay decomposition, but it will continue at a slower rate.	Freezing is the best method to keep the level of decomposition about the same as when it was procured.	
	Dried (mummified)	Store in paper bags or in glass containers but keep dry.	Store in paper bags at ambient temperature.	No need to refrigerate if in paper bags.	No need to freeze if kept in paper bags.	
	Burned ^[41]	Store in glass containers with sealing lids (such as canning jars or vials).	If stored at room temp the decomposition will continue and if sealed tight might explode.	Refrigeration will delay decomposition but will continue at a slower rate.	Freezing is the best method to keep the level of decomposition about the same as when it was procured.	It is recommended to avoid using burned remains if an accelerant was used to create burned remains.

Bone	Wet	Store in glass containers with sealing lids (such as canning jars or vials) or bags made of food grade & premium quality aluminum foil and are easy sealable.	If stored at room temp the decomposition will continue and if container is sealed tight might explode.	Refrigeration will delay decomposition but will continue at a slower rate.	Freezing is the best method to keep the level of decomposition about the same as when it was procured.	
	Dry	Store in paper bags and keep dry.	Store in paper bags at ambient temperature.	No need to refrigerate if in dry paper bags.	No need to freeze if kept in dry paper bags.	
Cremated remains		Can be kept in the container that it was placed in after cremation if not metal or plastic.	Can be stored at ambient temperature.	No need to refrigerate.	No need to freeze.	It is recommended to avoid using cremated remains if an accelerant was used to create cremated remains.
Decomposition fluid		Store in glass containers with sealing lids (such as canning jars or vials).	If stored at room temp the decomposition will continue and if sealed tight might explode.	Refrigeration will delay decomposition but will continue at a slower rate.	Freezing is the best method to keep the level of decomposition about the same as when it was procured.	
Soil ^[35,50,54]		Store in glass containers with sealed lids once dried.	Can be stored at ambient temperature. If sample becomes damp or wet, it should be disposed.	Not recommended.	Not recommended.	Non-target odors soil samples should be obtained at the same general location for training with the target odor sample so that canines do not learn to respond to novel samples.
NOTE *best practice - do not reuse jars, use double containment, check integrity of lids.						

- 1003 i) Operational assessment design (single-blind, or double-blind).
- 1004 j) Type and size of search area [debris, wilderness, urban, vehicle(s), building(s), etc.].
- 1005 k) Location, environment (i.e., urban, rural, wilderness), and weather conditions during
- 1006 assessment (temperature, cloud cover, humidity, wind, etc.).
- 1007 l) Time taken to complete assessment.
- 1008 m) Set time.
- 1009 n) Target descriptor(s):
 - 1010 — type(s) (e.g., amount, fresh or aged: blood, bone, human tissue, decomposition);
 - 1011 — location of training aids(s);
 - 1012 — the concealment of the training aid(s) (height, depth, debris pile, etc.);
 - 1013 — containment of target(s) (glass jar, PVC pipe, etc.).
- 1014 o) Number and type of distractor(s) (blank containers, animal remains, food, etc.)
- 1015 p) The standard or guideline to which the canine team is assessed.
- 1016 q) Deficiencies and corrective measures noted for future training.
- 1017 r) Other information required by canine team's organization.
- 1018 **9.6** Canine team certification records maintained by the canine handler/organization and
- 1019 certifying authority shall include, but not be limited to, the following data.
- 1020 a) Name of canine and canine handler.
- 1021 b) Canine breed, description, age.
- 1022 c) Canine team(s) organization.
- 1023 d) Name of certifying organization.
- 1024 e) Name(s) of individual(s) conducting, assisting, or awarding certification.
- 1025 f) Certification authority [i.e., agency, professional organization, and/or individual(s)].
- 1026 g) Date and time canine team certified.
- 1027 h) Type of canine trained final response stated to assessor.
- 1028 i) Canine team certification results [true positive(s), true negative(s), false positive(s), false
- 1029 negative(s)].
- 1030 j) Certification assessment design (single-blind, or double-blind).

- 1031 k) Type and size of search area [debris, wilderness, urban, vehicle(s), building(s), rooms(s), etc.].
- 1032 l) Location, environment (i.e., urban, rural, wilderness), and weather conditions during
- 1033 assessment (temperature, cloud cover, humidity, wind, etc.).
- 1034 m) Time taken to complete certification assessment.
- 1035 n) Set time.
- 1036 o) Target descriptor(s):
 - 1037 — type(s) (e.g., amount, fresh or aged: blood, bone, human tissue, decomposition);
 - 1038 — location of training aids(s);
 - 1039 — the concealment of the training aid(s) (height, depth, debris pile, etc.);
 - 1040 — containment of target(s) (glass jar, PVC pipe, etc.).
- 1041 p) Number and type of distractor(s) (blank containers, animal remains, food, etc.).
- 1042 q) The standard or guideline to which the canine team is certified.
- 1043 r) Deficiencies and corrective measures noted for future training.
- 1044 s) Other information required by canine team's organization.
- 1045 **9.7** Canine team training records maintained by the canine handler/organization shall include,
- 1046 but not be limited to, the following data.
- 1047 a) Name of canine handler and canine.
- 1048 b) Canine breed, description, age.
- 1049 c) Canine team(s) organization.
- 1050 d) Name of training organization.
- 1051 e) Name(s) of individual(s) conducting or assisting with training.
- 1052 f) Time and date of training.
- 1053 g) Type of canine trained final response stated to trainer.
- 1054 h) Canine team search results (true positive(s), true negative(s), false positive(s), false negative(s),
- 1055 non-productive response(s)).
- 1056 i) Training design (single-blind, or double-blind).
- 1057 j) Type and size of search area (debris, wilderness, urban, vehicle(s), building(s), rooms(s), etc.).

- 1058 k) Location, environment (i.e., urban, rural, wilderness), and weather conditions during
1059 assessment (temperature, cloud cover, humidity, wind, etc.).
- 1060 l) Length of training session.
- 1061 m) Set time.
- 1062 n) Target descriptor(s):
 - 1063 — type(s) (e.g., amount, fresh or aged: blood, bone, human tissue, decomposition);
 - 1064 — location of training aids(s);
 - 1065 — the concealment of the training aid(s) (height, depth, debris pile, etc.);
 - 1066 — containment of target(s) (glass jar, PVC pipe, etc.).
- 1067 o) Number and type of distractor(s) (blank containers, animal remains, food, etc.).
- 1068 p) Type(s) and amount(s) of target(s) used.
- 1069 q) Deficiencies and corrective measures implemented during training regimen.
- 1070 r) Other information required by canine team's organization.
- 1071 **9.8** Canine team deployment/utilization records maintained by the canine handler/organization
1072 shall include, but not be limited to, the following data.
- 1073 a) Name of the canine and canine handler.
- 1074 b) Canine team's organization.
- 1075 c) Date of canine team's most recent certification.
- 1076 d) Name(s) of organization(s) conducting search.
- 1077 e) Requestor of deployment.
- 1078 f) Date and time of deployment.
- 1079 g) Search results.
- 1080 h) Description and size of the search.
- 1081 i) Date and time subject last seen and weather conditions (temperature, cloudy, humid, wind,
1082 etc.), if available.
- 1083 j) Subject description (gender, age, clothing, weight, height, etc.) if available.
- 1084 k) Environmental conditions at deployment (temperature, cloud cover, humidity, wind, etc.).

- 1085 l) Information regarding any trained final response(s).
- 1086 m) Type and size of search area (urban, rural, wilderness, urban, building, vehicles etc.).
- 1087 n) Location (GPS coordinates are recommended but are optional) of deployment.
- 1088 o) Other information required by the canine team's organization.
- 1089 **9.9** All documented training, assessment(s), and certification(s) shall be used to determine the
1090 canine team's proficiency.
- 1091 **9.10** Confirmed operational outcomes can be used as a factor in determining canine team's
1092 capability.
- 1093 **9.11** Unconfirmed operational outcomes shall not be used as a factor in determining a canine
1094 team's proficiency. Unconfirmed operational outcome, including a non-productive response, may be
1095 relevant for investigative/testimony purposes because of the following:
- 1096 **9.11.1** Target odor or residual odor can be present below the measurable level of detection for
1097 laboratory instrumentation.
- 1098 **9.11.2** There may be an environmental inability or external factors which prevent locating the
1099 odor source.
- 1100 **9.12** Supervisory review should be conducted of all records.
- 1101 **9.13** Records should be digitally formatted (with appropriate back up), versus handwritten to
1102 facilitate compiling and analyzing data.
- 1103 **9.14** All documented training, assessments, certification, and deployments shall be documented to
1104 include trained final response, any false alerts, and any false negatives.
- 1105 **9.15** Records may be discoverable in court proceedings and may become evidence of the canine
1106 team's reliability. Record retention policy shall be determined by organization guidelines, at a
1107 minimum, for the life of the canine.
- 1108 **9.16** Training records shall illustrate the type and amount of training that the team has
1109 experienced before and after certification.
- 1110 **9.17** Training aid records shall be maintained by the canine handler/organization including, but
1111 are not limited to, the following data.
- 1112 a) Training aids shall be clearly labeled in a manner to support accountability.
- 1113 b) Appropriate records shall be maintained by the canine handler/organization in accordance
1114 with Federal, state, and local requirements.
- 1115 **9.18** Veterinary records shall be maintained by the canine handler/organization including, but
1116 are not limited to, the following data.

- 1117 a) Veterinary records shall be maintained in a manner such as they are accessible to the canine
1118 handler/organization.
- 1119 b) Vaccinations required by state or local law shall be documented in the veterinary record of the
1120 canine.

1121

DRAFT

Annex A (informative) Tables

Table A.1—Assessments Summary

Type of Search Environment	Number of Areas	Individual Search Area Size	Number of Training Aid(s)	Training Aid Placement	Set Time	Training Aid Amount	Search Time
Odor Recognition	≥6	Containers ≥3 ft (~1 m) apart	Required: — One training aid — Four distractors	random	5 minutes	≥0.01 lb (≥5 g)	Each container twice
Wilderness	≥3	1 acre (4,047 m ²) - 2 acres (8,094 m ²)	Required areas: — one blank area — one area with 1 or 2 training aid(s) All remaining areas: — 0, 1, or 2 training aid(s)	ground level to 6 ft (~2 m) high	30 minutes	≥0.03 lb (≥15 g)	30 minutes/area
Buried	≥2	½ acre (2023 m ²) - 1 acre (4,047 m ²)	Required areas: — one area with 1 training aid — three false holes/search area All remaining areas: — 0 or 1 training aid	Buried 6 in. (15.25 cm) and a maximum of 24 in. (25.4 cm) under loose soil	6 hours	≥0.5 lb (≥227 g)	30 minutes/area
Urban Exterior	≥1	1000 ft ² (93 m ²) - 2,000 ft ² (186 m ²)	— 0, 1, or 2 training aid(s)	ground level to 6 ft (~2 m) high	30 minutes	≥0.03 lb (≥15 g)	15 minutes/area
Interior Building/Structure	≥1	1000 ft ² (93 m ²) - 2,000 ft ² (186 m ²)	— 0, 1, or 2 training aid(s)	ground level to 6 ft (~2 m) high	30 minutes	≥0.01 lb (≥5 g)	15 minutes/area
Light Debris	≥1	1,000 ft ² (93 m ²) - 1,500 ft ² (140 m ²)	— 0, 1, or 2 training aid(s)	Concealed 6 in. (15.25 cm) – 12 in. (30.5 cm) below the surface of the debris	30 minutes	≥0.03 lb (≥15 g)	15 minutes/area
Motor Vehicle	≥5 vehicles	N/A	— ≤ 1 training aid / every 5 vehicles	Interior or exterior	30 minutes	0.01 lb (5 g)	2 minutes/vehicle

1126 **Table A.2—Examples of Field Portable Orthogonal Detectors^b**

Type of Detector	Theory of Operation	Advantages	Disadvantages
Metal detector	Can find objects that are made of metal such as bullets.	<ul style="list-style-type: none"> — Simple to use — Minimal training required — Inexpensive — Can find things that are metal but not bodies unless they have metal on them 	<ul style="list-style-type: none"> — Can only find metal — Non-specific to human remains
Ground Penetrating Radar	A geophysical method that uses radar pulses to image the sub-surface.	<ul style="list-style-type: none"> — Non-intrusive 	<ul style="list-style-type: none"> — Not simple to use — Requires training — Dry sandy soils or massive dry materials such as granite or limestone tend to resistive rather than conductive — Requires identifying certain areas — Cannot be effectively used in heavy vegetation or with a high-water table — Non-specific to human remains
Scent machine	Determines the structures of molecules using the molecules' characteristic absorption of infrared radiation. Detects chemicals similar to the ones detected by canines.	<ul style="list-style-type: none"> — Simple to use — Minimal training required — Depending on the system, may be a confirmatory test 	<ul style="list-style-type: none"> — Requires identifying certain area to test — Very few are made — Reliability is not proven — Specificity to human remains detection is not yet proven
Dowsing rod	Type of divination employed in attempts to locate gravesites.	<ul style="list-style-type: none"> — not a lot of equipment needed can go anywhere 	<ul style="list-style-type: none"> — No scientific validation to detect human remains — Non-specific to human remains
Ground Probe	Aerate soil, physical resistance variations	<ul style="list-style-type: none"> — Simple to use — Minimal training required 	<ul style="list-style-type: none"> — Non-specific to human remains

^b This list is not intended as an exhaustive list and only provides basic information on field portable detectors that can be deployed in conjunction with canine teams.

Core Sampler	Shows lack of striation in disturbed soil	<ul style="list-style-type: none"> — Simple to use — Minimal training required 	<ul style="list-style-type: none"> — Non-specific to human remains
Forward Looking Infrared (FLIR) ^[12]	Detects temperature variance. Usually aircraft mounted.	<ul style="list-style-type: none"> — Non-intrusive 	<ul style="list-style-type: none"> — Non-specific to human remains — requires training, costly equipment, costly deployment
Light Detection and Ranging (LIDAR) ^[55]	Using a laser, measures the time for the reflected light to return to the receiver. May operate from a fixed direction or scan. Lidar has terrestrial, airborne, and mobile applications.	<ul style="list-style-type: none"> — Non-intrusive 	<ul style="list-style-type: none"> — Non-specific to human remains — requires training, costly equipment, costly deployment
Electrical Resistivity Meter ^[37]	Detects comparative electrical resistance between soil and human material.	<ul style="list-style-type: none"> — Non-intrusive 	<ul style="list-style-type: none"> — Non-specific to human remains
Magnetometers ^[49]	Detects magnetic field anomalies due to reorientation of magnetic soil particles when backfilling graves.	<ul style="list-style-type: none"> — Non-intrusive 	<ul style="list-style-type: none"> — Non-specific to human remains — requires training, costly equipment, costly deployment

1127

Annex B (informative)

Bibliography

The following bibliography is not intended to be an all-inclusive list, review, or endorsement of literature on this topic. The goal of the bibliography is to provide examples of publications addressed in the standard.

- 1] ANSI/ASB Standard 024, *Standard for Training and Certification of Canine Detection of Humans: Location Check Using Pre-scented Canines*, 2021, 1st Ed., 2021. AAFS-ASB, 410 North 21st Street, Colorado Springs, CO 80904 ^c
- 2] ANSI/ASB Standard 026, *Standard for Training and Certification of Canine Detection of Humans: An Aged Trail Using Pre-scented Canines*, 2021, 1st Ed., 2021. AAFS-ASB, 410 North 21st Street, Colorado Springs, CO 80904
- 3] ANSI/ASB Standard 027, *Standard for Training and Certification of Canine Detection of Humans: Patrol Canine Team*, 2021, 1st Ed., 2021. AAFS-ASB, 410 North 21st Street, Colorado Springs, CO 80904
- 4] Alexander, M.B., T.K. Hodges, D.J. Wescott, and J.A. Aitkenhead-Peterson. "The Effects of Soil Texture on the Ability of Human Remains Detection Dogs to Detect Buried Human Remains" *Journal of Forensic Sciences*, Vol. 61, 2016, pp. 649-655.
- 5] Alexander, M.B., T.K. Hodges, J. Bytheway, J.A. Aitkenhead-Peterson. "Application of soil in Forensic Science: Residual Odor and HRD Dogs." *Forensic Science International*, Vol. 249, 2015 pp. 304-313.
- 6] Aviles-Rosa EO, G. McGuinness, N.J. Hall. Case Study: "An Evaluation of Detection Dog Generalization to a Large Quantity of an Unknown Explosive in the Field." *Animals (Basel)*. 2021 May 8;11(5):1341.
- 7] Bass, W.M. "Outdoor decomposition rates in Tennessee." In W.D. Haglund and M.H. Sorg(eds) *Forensic taphonomy*. pp. 181-186. CRC Press, 1997, Boca Raton, FL.
- 8] Becker, R.F. and J.E. King "Delineation of the nasal air streams in the living dog." *Archives of Otolaryngology*, Vol. 65, 1957, pp. 428-436.
- 9] Cablk, M.E., and C.S. John. "Field capability of dogs to locate individual human teeth." *Journal of Forensic Sciences*. Vol. 56.4, 2011, pp. 1018-1024.
- 10] Cablk, M.E., E.E. Szlagowski, and J.C. Sagebiel. "Characterization of the volatile organic compounds present in the headspace of decomposing animal remains, and compared with human remains." *Forensic Science International*. Vol. 220.1, 2012, pp. 118-125.
- 11] Dadour, I., M. Lee. *Heat Signatures Produced by Maggot Masses: Using Forward Looking Infrared Radar (FLIR) Mounted on a Helicopter to Locate Human Remains*, AAFS Annual Meeting, 2016.

^c Available from: <https://www.aafs.org/academy-standards-board>

- 1163 12] DeChant M.T., C. Ford, N.J. Hall. "Effect of Handler Knowledge of the Detection Task on Canine
1164 Search Behavior and Performance." *Frontiers in Veterinary Science*, Vol 7. 2020.
- 1165 13] DeGreeff, L.E., and K.G. Furton. "Collection and identification of human remains volatiles by
1166 non-contact, dynamic airflow sampling and SPME-GC/MS using various sorbent materials."
1167 *Analytical and Bioanalytical Chemistry*. Vol. 401.4, 2011, pp. 1295-1307.
- 1168 14] DeGreeff, L.E., B. Weakley-Jones, and K.G. Furton. "Creation of training aids for human remains
1169 detection canines utilizing a non-contact, dynamic airflow volatile concentration technique."
1170 *Forensic science international*. Vol. 217.1, 2012, pp. 32-38.
- 1171 15] DiMaio, D., V. DiMaio. "Forensic Pathology" *Elsevier Science Publishing*. 1989.
- 1172 16] Dubois L.M., P.H. Stefanuto, L. Heudt, J.F. Focant, K.A. Perrault. "Characterizing decomposition
1173 odor from Soil and Adipocere Samples at a Death Scene Using HS-SPME-GCXGC-HRTOFMS"
1174 *Forensic Chemistry*. Vol. 8, 2018, pp. 11-20.
- 1175 17] Dupras, Schultz, Wheeler, Williams. *Forensic recovery of Human Remains: Taylor and Francis*,
1176 pp. 37-47, CRC Press, 2006, Boca Raton, FL.
- 1177 18] Farr, B.D., M.T. Ramos, and C.M. Otto, The Penn Vet Working Dog Center Fit to Work Program:
1178 A Formalized Method for Assessing and Developing Foundational Canine Physical Fitness.
1179 *Front Vet Sci*, 2020. 7: p. 470.
- 1180 19] Forbes, S.L., L. Rust, K. Trebilcock, *et al.* Effect of age and storage conditions on the volatile
1181 organic compound profile of blood. *Forensic Sci Med Pathol* **10**, 570–582 (2014).^d
- 1182 20] Forbes S.L., A.N. Troobnikoff, M. Ueland, K.D. Nizio, K.A. Perrault. "Profiling the Decomposition
1183 Odour at the Grave Surface Before and After Probing" *Forensic Science International*. Vol. 259,
1184 2016, pp. 193-199.
- 1185 21] Galloway, A. "The process of decomposition: A model from the Sonoran Desert." In W.D.
1186 Haglund and M.H. Sorg (eds) "*Forensic Taphonomy; the Postmortem Fate of Human Remains*"
1187 pp. 139-150, CRC Press, 1997, Boca Raton, FL.
- 1188 22] Gazit, I. and J. Terkel, Explosives detection by sniffer dogs following strenuous physical activity.
1189 *Applied Animal Behaviour Science*, 2003. 81(2): p. 149-161.
- 1190 23] Gill-King, H. "Chemical and ultrastructural aspects of decomposition." In W.D. Haglund and
1191 M.H. Sorg(eds) "*Forensic Taphonomy; the Postmortem Fate of Human Remains*". pp. 93-108,
1192 CRC Press, 1997, Boca Raton, FL.
- 1193 24] Haglund, W.D.; Sorg M.H. *Forensic Taphonomy; the Postmortem Fate of Human Remains*. CRC
1194 Press, 1997, Boca Raton, FL.
- 1195 25] Haglund, W.D., M.H. Sorg. *Advances in Forensic Taphonomy; Method, Theory and Archeological*
1196 *Perspective*. CRC Press, 2002, Boca Raton, FL.

^d Available from: <https://doi.org/10.1007/s12024-014-9610-3>

- 1197 26] Hoffman E.M., A. M. Curran, N. Dulgerian, R.A. Stockham, B.A. Eckenrode. "Characterization of
1198 the volatile organic compounds present in the headspace of decomposing human remains"
1199 *Forensic Science International*. Vol. 186, 2009, pp. 6-13.
- 1200 27] Iqbal M.A., K.D. Nizio, M. Ueland, S.L. Forbes. "Forensic decomposition odour profiling: A
1201 Review of Experimental Designs and Analytical Techniques" *Trends in Analytical Chemistry*
1202 Vol. 91, 2017, pp. 112-124.
- 1203 28] James, S.H., J.J. Nordby, S. Bell. *Forensic Science. Introduction to Scientific and Investigative*
1204 *Techniques*. Taylor and Frances Group LLC, CRC press., 2014.
- 1205 29] Jezierski, T., J. Ensminger, L.E. Papet. *Canine Olfaction Science and Law*. Taylor and Francis
1206 Group, LLC, CRC press. 2016.
- 1207 30] Linde F., "Elastic and viscoelastic properties of trabecular bone by a compression testing
1208 approach." *Danish Medical Bulletin*, vol. 41(2), 1994, pp. 119-138.
- 1209 31] Lit, L., J.B. Schweitzer, and A.M. Oberbauer. *Handler beliefs affect scent detection dog outcomes,*
1210 *in Animal cognition*. eScholarship, University of California. 2011.
- 1211 32] Migala, A.F., and S.E. Brown. "Use of Human Remains Detection Dogs for Wide Area Search
1212 After Wildfire: A New Experience for Texas Task Force 1 Search and Rescue Resources."
1213 *Wilderness & Environmental Medicine*. Vol. 23.4, 2012, pp. 337-342.
- 1214 33] Nizio K.D., M. Ueland, B.H. Stuart, S.L. Forbes. "The Analysis of Textiles Associated with
1215 Decomposing Human Remains as a Natural Training Aid for Cadaver-Detection Dogs"
1216 *Forensic Chemistry*. Vol. 5, 2017, pp. 33-45.
- 1217 34] Osterkamp, T. "K9 water searches: scent and scent transport considerations." *Journal of*
1218 *Forensic Sciences*. Vol. 56.4, 2011, pp. 907-912.
- 1219 35] Perrault, K.A., et al. "Detection of decomposition volatile organic compounds in soil following
1220 removal of remains from a surface deposition site." *Forensic Science, Medicine, and Pathology*.
1221 Vol. 11.3, 2015, pp. 376-387.
- 1222 36] Pokines, J.T., A.S. Symes. *Manual of Forensic Taphonomy*. CRC Press. 2014. Boca Raton, FL.
- 1223 37] Pringle, J.K., I.G. Stimpson, K.D. Wisniewski, et al. "Geophysical monitoring of simulated
1224 homicide burials for forensic investigations." *Sci Rep* 10, 7544 (2020).^e
- 1225 38] Rebmann, A., E. David, and M.H. Sorg. *The Cadaver Dog Handbook: Forensic Training and Tactics*
1226 *for the Recovery of Human Remains*. CRC Press, 2000, Boca Raton, FL.
- 1227 39] Riezzo, I., et al. "Cadaver dogs: Unscientific myth or reliable biological devices?" *Forensic*
1228 *Science International*. Vol. 244, 2014, pp. 213-221.
- 1229 40] Rust L, K.D. Nizio, S.L. Forbes. "The Influence of Ageing and Surface Type on the Odour Profile
1230 of Blood-Detection Dog Training Aids" *Analytical and Bioanalytical Chemistry*. Vol. 408, 2016,
1231 pp. 6349-6360.

^e Available from: <https://doi.org/10.1038/s41598-020-64262-3>

- 1232 41] Schmidt, C.W., S.A. Symes. *The Analysis of Burned Human Remains*. Academic Press. 2008.
1233 London UK.
- 1234 42] Schotsmans, E.M.J., N. Marquez-Grant, S.L. Forbes. *Taphonomy of Human Remains: Forensic*
1235 *analysis of the dead and the depositional environment*. John Wiley & Sons Ltd. 2017. West
1236 Sussex UK.
- 1237 43] Spitz, W., R. Fisher. *Medicolegal Investigation of Death*. Charles C. Thomas publisher
- 1238 44] Stadler, S., et al. "Analysis of synthetic canine training aids by comprehensive two-dimensional
1239 gas chromatography–time of flight mass spectrometry." *Journal of Chromatography*. Vol. A
1240 1255, 2012, pp. 202-206.
- 1241 45] Stadler, S., et al. "Characterization of volatile organic compounds from human analogue
1242 decomposition using thermal desorption coupled to comprehensive two-dimensional gas
1243 chromatography–time-of-flight mass spectrometry." *Analytical Chemistry*. Vol. 85.2, 2012, pp.
1244 998-1005.
- 1245 46] Stefanuto P.H., K.A. Perrault, R.M. Lloyd, B. Stuart B, T. Rai, S.L. Forbes, et al. "Exploring New
1246 Dimensions in Cadaveric Decomposition Odour Analysis" *Analytical Methods*. Vol. 7, 2015,
1247 pp. 2287-2294.
- 1248 47] Syrotuck, W. *Scent and the Scenting Dog*. Barkleigh Productions, INC, 1972, Mechanicsburg, PA.
- 1249 48] *Systems Analysis of the Federal Aviation Administration's K-9 Program*, in DTIC AND NTIS. 1995.
- 1250 49] *Terrestrial Remote Sensing, Geophysical Techniques*. Historic England website.^f
- 1251 50] Tibbett, M., D. Carter. *Soil analyses in Forensic Taphonomy*. Taylor Frances Group, LLC, CRC
1252 Press. 2008.
- 1253 51] Tipple, C.A., et al. "Comprehensive characterization of commercially available canine training
1254 aids." *Forensic Science International*. Vol. 242, 2014, pp. 242-254.
- 1255 52] Vass A.A. "Odor Mortis" *Forensic Science International*. Vol 222, 2012, pp. 234-241.
- 1256 53] Vass, A.A., et al. "Odor analysis of decomposing buried human remains." *Journal of Forensic*
1257 *Sciences*. Vol. 53.2, 2008, pp. 384-391.
- 1258 54] Vass A.A., W.M. Bass, J.D. Volt, J.E. Foss. "Time since death determination of human cadavers
1259 using soil solution". *Journal of Forensic Sciences*. Vol. 37(5), 1992, pp. 1236-1253.
- 1260 55] White, D.A., *Sight unseen: Novel method detects evidence of unmarked human graves*, Oak Ridge
1261 National Laboratory.^g

^f Available from: <https://historicengland.org.uk/research/methods/terrestrial-remote-sensing/geophysical-techniques/>

^g Available from: <https://www.ornl.gov/news/sight-unseen-novel-method-detects-evidence-unmarked-human-graves>

- 1262 56] Wisner, H.R. "It Costs an Arm and a Leg: Cadaver Dog Workability Study", *ProQuest LLC.*, 2021.^h
- 1263 57] Zubedat, S., et al., Human–animal interface: The effects of handler's stress on the performance
- 1264 of canines in an explosive detection task. *Applied Animal Behaviour Science*, 2014. 158: p. 69-
- 1265 75.

^h Available from: <https://www.proquest.com/openview/3a9c8be67c01de4436fc0200ca12a969/1?pq-origsite=gscholar&cbl=18750&diss=y>

DRAFT



ASB
ACADEMY
STANDARDS BOARD

Academy Standards Board
410 North 21st Street
Colorado Springs, CO 80904

www.aafs.org/academy-standards-board